



Molded Mounting System







INSTALL

- 1. Slide device into bottom corners of mounting system while pressing down on top of device.
- 2. Firmly snap device into top corners of mounting system.
- 3. Check all four corners to ensure the mounting system wraps over each corner of device.

REMOVE

- 1. Using both hands, place your fingers behind one corner of the device (against the device itself and not the back of the mounting system).
- 2. Place each thumb on the front (visible) edge of the mounting sytem.
- 3. While pulling up on the device with your fingers, press down on the corner of the mounting with your thumbs until the corner of the device pops free. Depending on how stiff the mounting is, it may take quite a bit of pressure with your thumbs to pop the corner free.
- 4. Remove the next corner in the same way. Once two adjacent corners are free the device will slip easily out of the other two corners.

Additional tips:

- If the mounting system is very stiff, installing and removing the device a few times will loosen the mounting just slightly and allow for easier removal of the device.
- For the iPad 2, we do not recommend removing the upper right corner first because of the power button's location. Attempting to remove this corner first may result in the iPad being powered off by accident.
- If you are having trouble getting enough grip on the front of the mounting system with your thumbs to pop a corner loose, you can try placing a wide rubber band or soft silicone pot holder (or something similar) over the front edge of the mounting system to give more grip. Do not attempt to pry off the mounting system with any sort of tool as this may result in the device being scratched or damaged.